

Print Sconce

Sconces

YOUR PRODUCT CODE

PRS- - - - - - - -

DESCRIPTION

With high-performance LEDs enclosed in a unique, prismatic shade, Print is the classic globe, elevated. Its striking surface, achieved by acclaimed designer Sylvain Willenz, is imprinted with a diamond texture that creates an understated, sparkling play of light.

MATERIALS

Glass, PET Plastic, Aluminum

COLLECTION NOTES

Print sconce & flush mount with small globe are ADA compliant, the fixtures with large globes are not.

PRODUCT DIMENSIONS

Large Globe 16 in dia x 12 in D | Small Globe 8 in dia x 4 in D

PRODUCT WEIGHT

6.5 lbs / 3 kg

PERFORMANCE

Delivered Lumens Large Glass Globe: 1337 lm | Large PET Globe: 1449 lm | Small Glass Globe: 394 lm | Small PET Globe: 576 lm
 Power Consumption Large 19.7W | Small 8W
 Luminous Efficacy Large Glass Globe 67.4 lm/W | Large PET Globe 73.1 lm/W | Small Glass Globe 49.6 lm/W | Small PET Globe 72.4 lm/W
 90 CRI
 Full detail in [photometry summary](#)

CERTIFICATION

ADA Compliant
 UL Listed
 UL Listed to Canadian safety standards.
 Suitable for Damp Locations
 IP65

LED LIFESPAN

50k hours

PATENT FILE NUMBER

US: D1,045,188, CA: 205277, 220118, AU: 202114558, 202116881, CN: Patent Pending, EU: 008636773-0001; 008636773-0001, UK: 6151348, 6151349, 6151350

SPECIFICATION LOGIC

GLOBE

Small Globe	A
Large Globe	B

DIFFUSER FINISH

Clear/Frosted Glass	CF
Frosted PET	P2

MODULE FINISH

Matte White	PC20
-------------	------

COLOR TEMPERATURE


2700K (warm white)	27
3000K (soft white)	30
3500K (neutral white)	35
4000K (cool white)	40

DIMMING / CONTROL / INPUT

1% Dimming, TRIAC / Forward Phase Control, 120V Input (Driver External)	1_TRIAC_120V
1% Dimming, 0-10V Control, 120V or 277V "Universal Input" (Driver External)	1_10V_UNV
0.1% Dimming, 0-10V Control, 120V or 277V "Universal Input" (Driver External)	0.1_10V_UNV
Low Voltage (Driver required, driver not included)	LV

DRAWINGS

PRS-A Print Sconce Small



PRS-B Print Sconce Large

